

Vapi Green Enviro Limited – Vapi

REGD. OFFICE: VIA HOUSE, PLOT NO.135, GIDC, VAPI-396195.

OFFICE ORDER

Order No.: VGEL/BM-1-2021/ORD-11

Date: 06.05.2021

Ref: -First Board Meeting of the year- 2021, dated 25th February, 2021.

5.6 To consider Revision of WW Treatment and Disposal charges of CMEE & CSD and fixing of price for CMVR Plant.

It was informed by CFO that Revision of WW Treatment and Disposal charges of CMEE & CSD and fixing of price for CMVR Plant was approved in Executive Committee Meeting dated 20.02.2021 with certain changes and is placed before the Board for approval. The table of Charges is given below:

REVISED CHARGES OF CMEE/CSD/CMVR

AS PER CRITERIA					
		Upto 25 KL CETP BV		Above 25 KL CETP BV	
		Rs./Litre		Rs./Litre	
	Basic Charge	1.75		2.25	
Criteria	COD	Additional charge Rs./Litre	Total Charges Rs./Litre	Additional charge Rs./Litre	Total Charges Rs./Litre
	Upto 75000	0.00	1.75	0.00	2.25
	75001 – 100000	0.50	2.25	0.50	2.75
	100001 - 125000	1.00	2.75	1.00	3.25

Vapi Green Enviro Limited – Vapi

REGD. OFFICE: VIA HOUSE, PLOT NO.135, GIDC, VAPI-396195.

OFFICE ORDER

	125001 - 150000	1.25	3.00	1.25	3.50
	Above 150000	2.00	3.75	2.00	4.25
Criteria	NH3 – N	Additional charge Rs./Litre	Total Charges Rs./Litre	Additional charge Rs./Litre	Total Charges Rs./Litre
	Upto 500	0.00	1.75	0.00	2.25
	501 – 1000	0.50	2.25	0.50	2.75
	1001 – 2000	2.00	3.75	2.00	4.25
	Above 2000	6.00	7.75	6.00	8.25
Criteria	TSS	Additional charge Rs./Litre	Total Charges Rs./Litre	Additional charge Rs./Litre	Total Charges Rs./Litre
	0 – 1000	0.00	1.75	0.00	2.25
	1001 – 3000	0.10	1.85	0.10	2.35
	3001 – 10000	0.50	2.25	0.50	2.75
	Above 10000	1.00	2.75	1.00	3.25
Criteria	Solvent				
	Low boiling point	Less than 100°	maximum it should be 1 %		

Vapi Green Enviro Limited – Vapi

REGD. OFFICE: VIA HOUSE, PLOT NO.135, GIDC, VAPI-396195.

OFFICE ORDER

Criteria	pH				
	Below 6.5 and above 8	Rejected			
	Total charges for				
	Minimum & all criteria defaulted		10.75		11.25


NOTE:

- 1 Excess Volume Rate **Rs.0.50/litre** additional charges on the Basic price for Mmber (i.e. more than Booked voloume); specified above
- 2 Non Member Charge **Rs.1.00/litre** additional charges on the Basic price (CC not paid); specified above
- 3 Above calculation will be done one yearly basis for Basic Charge (i.e.CMEE/CSD/MVR BV x 365 days)

DECISION:

After due discussions, the Board approved the revision of rates of Waste Water Treatment and Disposal Charges of CMEE & CSD and fixing of price for CMVR plant.

Directions:


CFO

CEO

CFO / ND / SR